

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: Michael Krysiak, et al.

For: FORTIFIED MULCH

Assistant Commissioner for Patents Washington, D.C. 20231

Sir:

Enclosed is a Patent Application, a Small Entity, Declaration, Assignment postcard, check in the amount of \$345.00 and \$40.00. Please send back postcard and assign Serial Number, filing date and return postcard.

Respectfully Submitted,

Philip M. Weiss, Esq.

Plety Weiss

Reg. No. 34,751

Express Mail mailing label No.: <u>LL486329565US</u>

Date of Deposit: Lebruanu Bolow

I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to the Assistant Commissioner of Patents, Washington, DC 20231

Allyphon Jazzano

Approved for use the Pepervork Reduction Act of 1966, no persons are required to respond to a collection of information unless.	PTC/SBMO (1-88) NOUND DECOMMOND CAMB 0851-0031 B. DEPARTMENT OF COMMERCE I CAMBUS & WILD CAMB COMP INTRO-
STATEMENT CLAIMING SMALL ENTITY STATUS (37 CFR 1.9(f) & 1.27(c))—SMALL BUSINESS CONCERN	Docket Number (Optional) PEE001
Acutomi Patentee or dentifier Michael Kryslak	
Find of severed FORTIFIED MULCH	
i heraby state that I am If the owner of the small business concern identified below: If the owner of the small business concern empewered to set on behalf of the concern empewered to set on behalf of the concern.	s identified below:
NAME OF SMALL BUSINESS CONCERN FNC 2 P. T.C.	
ADDRESSOFSMALLBUSINESSCONCERN 3921 Algoma Road Green Bay, W7 54311	
I hereby state that the above identified small business concern qualities as a small but 13 CFR Part 121 for purposes of paying reduced fees to the United States Patent and Tradem to also standards for a small business concern may be directed to: Small Business Administ 409 Third Street, SW, Weekington, DC 20416.	einees concern as defined in ark Office. Questions related
) hereby state that rights under contract or law have been conveyed to and remain with identified above with regard to the invention described in:	the sited bushees someth
the epocification fled herewith with title as listed above. the epotication identified above. the patent identified above.	
If the rights held by the above identified amail business concern are not exclusive, organization having rights in the invention must file separate eleterants as to their status as to the invention are held by any person, other than the inventor, who would not qualify as at 37 CFR 1.9(a) if that person made the invention, or by any concern which would not qualify under 37 CFR 1.9(a), or a newprofit organization under 37 CFR 1.9(a).	mail entities, and no rights independent inventor under
Each person, concern, or expenization having any rights in the invention is listed below me such person, concern, or expenization easts. — each such person, concern, or organization is listed below.	HT.
Separate statuments are required from each named person, concern or organization in stating their status as small entities. (37 GFR 1.27)	naving rights to the Invention
I acknowledge the duty to file, in this application or patent, notification of any change entitlement to ensell entity status prior to paying, or at the time of paying, the earliest of the infect due after the date on which status as a small entity is no longer appropriate. (37 CFR 1	aane jam ci, auli, mangeubuch
ti dhal weeniale	
NAME OF PERSON SIGNING Michael Krysiak TITLE OF PERSON IF OTHER THAN OWNER President	
ADDRESS OF PERSON SIGNING 3921 Algoma Rd., Green Bay,	WI 54311
SIGNATURE Muchael Kupus DATE	1-10-00

Surgian Hour distinguish. This form is estimated to take 0.2 hours to contains. They will vary decembing upon the resects of the individual case. An configuration the entire of the your are required to complete this form straud to evid to the Chief information Officer, Patient and Transmiss Officer, poly and Transmiss Configuration, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner to Palama Washington, DC 20231.

Fortified Mulch



Field of the Invention

The invention relates to a composition and method for making mulch fortified with fertilizers via an agglomeration/granulation process.

Background of the Invention

Mulches are commonly applied over grass seed beds. Mulches help to increase seed germination and decrease soil erosion allowing seeds to become firmly established in the seeded area. Mulches typically consist of straw, wood shavings, or paper. In the prior art mulches are mixed with water and agitated in a holding tank, and then sprayed onto a seed bed. Some mulches are woven into blankets that are designed to be laid down over seed beds. Some mulches are chemically bonded natural fiber spray-applied mulches. These mulches use a vegetable gum binder such as guar gum to bind together natural fibers.

Most mulches are loose configurations of unbonded fibers that easily wash away. Paper-based mulches tend to bond into a paper mache-like mat that inhibits oxygen and sunlight transfer, and the ability of seedlings to emerge through the mulch, affecting vegetation establishment. Chemically-bonded mulch forms an almost impenetrable layer over the seed bed that is poor at passing oxygen and water through to the seed bed.

U.S. Patent 5,942,029 discloses a mechanically-bonded, water-absorbent fiber mulch including natural and crimped synthetic fibers that are intimately mixed to form a mechanically-bonded fiber mulch.

U.S. Patent 5,916,027 discloses mulch flakes made from finely divided paper and/or wood, and a surfactant. The flakes contain fertilizer.

Summary of the Invention

The present invention relates to a process for creating fortified mulch through an agglomeration/granulation process. A moist paper fiber based product is impregnated with NPK (nitrogen, phosphorus, potassium) fortifiers in a mixer. The paper product is combined with the NPK fortifiers either before, or after entry into a mixer. The mixer performs work that results in an agglomerated (or granulated) product that is a homogeneous blend of the paper product and NPK fortifiers. This product is then dried to a desired level of moisture and screened as necessary. A binding agent can be added at the mixer to enhance the agglomeration/granulation process. If a binding agent is added the paper fiber based product need not be moist. To increase the percent of on-sized product, a size reduction operation can be performed on the paper fiber product prior to entry into the mixer.

These and other features and advantages of the preferred embodiment of the present invention will become apparent from the detailed description of the preferred embodiments.

Detailed Description of the Invention

The present invention relates to a process for creating fortified mulch through an agglomeration/granulation process. A paper fiber based product, which can be moist, is impregnated with NPK fortifiers in a mixer. The mixer is preferably a pin mixer but can also be a pan pelletizer, paddle mixer, drum granulator or other type of mixer. The pin mixer is preferably a double helix pin arrangement. The paper fiber based product is preferably comprised of a by product of a paper making process. Sewage sludge can be used to create the fortified mulch rather than paper fibers.

Below is an example of how a fortified mulch product can be made using a pin mixer.

Example

Pin Mixer

In a pin mixer, agglomeration occurs, when radially extended pins mounted on a high velocity central rotor shaft, in a stationary cylindrical shell impart agitation forces on the material and sprayed liquid binder. This causes a tumbling, turbulent movement resulting in densification.

Pin arrangement

Several different types of pin mixers were tested to determine the best pin arrangement for creating a fortified mulch. The double helix pin arrangement resulted in a round, more uniform pellet. The internal casing length and diameter were 23 inches and 6 inches, respectively. The dimensions of the shaft and pins included 2-inch diameter shaft and two-inch length pins. The tip speed was not calculated. It was concluded that varying the speed (RPM) effected the pellet size. Increasing the speed caused a decrease in particle size. Also, the higher the speed (RPM) the fewer number of large chunks came through. It is important to note that initial ginding of wet paper sludge drastically reduced chunks discharging the pin mixer. It was found that the pin mixer when set at 650 RPM resulted in a product that consisted largely of end-size (-6, +16) product. Although horsepower draws were not conducted, it was apparent that this material did not require a motor that was larger than FEECO pin mixer specifications. This material created a shell, but its amperage did not increase. Mulch through the pin mixer readily agglomerated and the discharged product was uniform in size and shape.

Retention Time

The FEECO unit was inclined to analyze any improvement of product caused by an increased retention time. No increase in retention time was noticed. A test was conducted to determine the retention time of the. A scoop full of wet paper was spray-painted and fed into the feed hopper. Material began to discharge at 2 seconds and ended at 23 seconds. The majority of the material took 8 seconds. Small particles had short retention time while larger particles took longer.

Pin Mixer: Material Feed Rates

Ground wet paper sludge

Wet paper was added at 33lbs/hr the product was not uniform and round, so the feed was decreased to 200lbs/hr. A uniform product was achieved at this rate. It was preferable to use a rate of 200lbs/hr, however, a rate between 200 and 300lbs./hr is also acceptable. The wet paper sludge bridged in the screw feeder. The 3" feeder was the most consistent.

Water

An added 36-lbs./hr water was metered into the pin mixer. The percent moisture in the paper was 52.3% water. A total of 140.6 lbs./hr of moisture is introduced when 200lbs./hr of wet sludge is metered into the pin mixer.

NPK

The NPK fortifiers were added to the pin at a rate of 28 lbs./hr. A vibratory feeder was required to feed such a low rate. The fertilizer had to be screened prior to addition into the feed hopper.

Coating Drum

Wet Mulch Pellets

The wet mulch pellets were hand fed into a rotary drum. The drum had no apparent problem with varied low or high feed rates. The rotatry dryer placed limitations onto the coating drum feed rate. The majority (>90%) of agglomeration is done in the pin mixer. Since the material sent into the coating drum was in the form of a pellet, the material readily rolled. The retention time of the mulch was approximately 1-2 minutes shorter than for an encapsulated seed (4-5 minutes).

Dryer

The pin mixer was not the only component limiting the feed rate, for the rotatry dryer was not able to sufficiently dry the NPK fortified paper pellets. The increase in moisutre also forced the reduction in the feed rates.

The inlet and outlet air temperatures were 1100 degrees Fahrenheit and 180F, respectively. The sample at these settings had a material outlet temperature ranging from 150 to 175 degrees Fahrenheit and moisture content of 2.5%.

Sieve analysis

A sieve analysis was conducted with the use of a screen. The end-size portion was between 6 and 16 mesh. A three-hour continuous run was produced, dried, and screened. The results concluded a total of 300 lbs. of material; 206 lbs. on-size (68.7%), 53 lbs. under-size (17.7%), and 41 lbs. over-size (13.7%).

While the invention has been particularly shown and described with reference to the preferred embodiment of the present invention, it will be understood by those skilled in the art that the foregoing and other changes in form may be made therein without departing from the spirit and scope of the invention.

1. An agglomeration/granulation method for creating a fortified mulch comprising; adding paper fibers to a pin mixer; adding NPK fortifiers and a binding agent before or at said mixer; drying contents of said mixer.

- 2. The method of claim 1 wherein the pin mixer is replaced with a pan pelletizer.
- 3. The method of claim 1 wherein the pin mixer is replaced with a paddle mixer.
- 4. The method of claim 1 wherein the pin mixer is replaced with a drum granulator.
- 5. The method of claim 1 wherein said pin mixer has a double helix pin arrangement.
- 6. The method of claim 1 wherein said paper fibers are comprised of a by-product of a paper making process.
- 7. The method of claim 1 wherein said paper fibers are replaced with sewage sludge.
- An agglomerated/granulated mulch product that is comprised of NPK fortifiers and paper fibers.

Abstract

The invention relates to a composition and method for making mulch fortified with fertilizers via an agglomeration/granulation process.

used type a thus sign (+) back Under the Paperwork fix	eluction Act of 1985, no person	Palent and Trade to see required to resp	pprovětí fix use () mách Office; U.S., prd (o a cellection	remarks substitutes	0/89/01 (12-97) 0M9 9851-0032 3F COMMERCE Ness it sentains
a velid OMS condrol num	low.	Attorney Dos	ket Number	FEE001	
	FOR UTILITY OF			Michael	Krysiak
	SIGN PPLICATION		COMPLETE		
	FR 1.63)	Application N		/	
		Filing Date			
Z Declaration Submitted OR	Declaration Submitted after Initia	Group Art Un	t		
with Initial Filing	Filing (surcharge (97 CFR 1,16 (e)) required)	Examiner Na			
i anichowledge the duty to	ואיייסכ	s emended on (MANC) ordents of the above id o. allertal to parentability	endied specificant	on, stoluding the FR 1.56.	
Prior Foreign Application Number(s)	Country	Foreign Plang Date (MM/DD/YYYY)	Priority New Claimed	Curtified Co	py Attached?
			0000	0000	0000
Additional foreign applicate the benefit of Application (formber)	tion numbers are listed on a su order 65 U.S.C. 119(a) of env L		a siyoni PT()/SB/(125 altrafied her	500:
	Tieng Date (MM(DD(YYYY)	numbel	onal provisions are listed or mental priority 16/026 etleche	tale anset

Sureen from Statement: This form is estimated to take 0.4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Critical Part of the Chief Information ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 2021.

Please type a plue sign (+) inside (his box == +	PTO/SE/01 (19-97) Approved for the through Bibliot. OMB 0551-0032 Patent and Tredemark Office; U.S. DEPARTMENT OF COMMERCE are required to respond to a collection of information unless if contains
s velid OMS control number.	

DEC	LA	RATIO	NC-	<u> Utllit</u>	y or l	Desig	n Pate	nt /	/bb	<u>iicatic</u>	<u>n</u>
I hereby cipim I United Blates o United States o Injurnation with and the nationa	he bene if Argen if POT in the le ma if or POT	dit under 55 U ca, Reted trek nemalional ap elevial to pata 'integrational	I.S.C. 180 c ow and, his plication in nublity es filing date:	of any United 5 olds as the sul the menhor pri defined in 37 (of this applicable	ieles eppile bjed malier uvided by it YPI 1.55 w XI.	asion(s), or 95 of spoin of 17 o first paragra hidri bessente	5(c) of any PC e diame of the up) of 35 U.S. available best	Tirlents is applic C. 112, I vean the	alional al action is activo vi	options on deal not disclered edge the dul ne of the prior	in the prior to disclose application
		ant Applic		PCT Paten		Parent F	iling Date D/YYYY)	<u> </u>	Lenda.	it Patent I If applicat	AMMAN,
As a named inv	U.S. or	PCT internation	nal applica	HOST SWITTHMAN	re listed on	a supplement	of priority desi	STREET IN	TO/GG/O	ZO SHACING	in the Pateri
and Trademark	entor, i i Cilica c	ट्यासन्दर्भन्यः क्षेत्रकारः स्थानस्य प्रमुख्यानः	ANNIH: []	Customer Nur Customer Nur	nber	i to bussann	1 Italia militarine		-	Place Curt	aner
				CAT Registered pro	-	numi/fielities	ekso number fi	isted baks	. L	Number Bar Lebel by	
				Fleg to	startion.						stration
} -	(Constitution	16		- New			Nor	114			lupet
Phil	ip !	1. Wei:	SS	34,7	51						
Additionate	robiero	d procitioner	(a) named c	inemolecus re) Registered	Faciliener	of restangue	eel PTO	SB/62C	number her	sia.
Direct ell corre	.,		Guston	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			- i			ndenos add	
Namo	We	es & V	Veiss	/ Phi	lip M	. Weis	ş	<u></u>			
Address	500	ola c	cunt	ry Road	, Sui	te 305		·-····································			
Address	Ca.	den Ci	+	***		'T''''T			. 440		
City			. <u> y</u>			Siele	NÄ	ZIP	-	530	
Country	USZ	وبالمضاعة المنبوا المالية المالية				<u> </u>		Fax		-739-2	
I heroby declar believed to be punishable by i application or a	e that a frue; wr line or i ny pater	a siatements d further that dipolicimient, at isseed there	inete iner Sinese ein Or Dolli, Li Cit	in of my own emerie were ? Moet 16 U.S.C	knowledge rade with t . 1001 and	ne hve mid he lexivledge hiss such wi	ihai ali sinton ihai wiliful is ibil saka stali	noria ma elso state emenis n	manis a manis a	Vontation and the tike to artice the vo	id bollow ove o made ero Hickly of the
Nume of So	le or	First inven	tor:			O A pelli	on has been	fied to	this ur	eigned invo	nlor
Gh	en Na	me (first and	middle 8	anyli			Earnii	y Name	or Sun	ame	
Mich	<u>sel</u>	· · · · · · · · · · · · · · · · · · ·				Krys	iak				*********
inventera Signatura		Mu	chail	Kup	ink			,		Dalp	2-14-00
Residence: C	ity	Green	Bay	Sale	MI	Country	USA			Citizanenio	US
FOR CINCO AC	dreas	3554	<u>Highl</u>	and Ce	nter	Drive					
Post Ollies As	idraaa										
Ølky			State		201			Cour	atry		
Additional	NOTE:	re are beind	റമനൂടർ വ	n tine eu	polemenia	Aciditional	inveniarie) :	thealle	PTO/S	D/02A villar	had banete

7

Ronald D.

Green Bay

1524 1/2 Cedar Street

inventer's Signature

City

Racidones City

Poet Office Address

Post Olice Address

	+) halds his box -> er the Paperwork Reduction Act I OMS control number.	of 1895,	الأثافظ وير	साव श्राप्तः।	Petari ar BQUAND	Approved nd Trademark Offi to mappind to a o	foi une the les; U.S. C oilection of	Maurah SizziciAbas	TOYSBYORA (OMB OES) OF COMME
DECLARATION				ADDITIONAL INVENTOR(S) Supplemental Sheet Page 3_ of _3					
Name of Additio	nal Joint Inventor, if an	/i			A petit	on has been fil	ed for the	ls unakmed	riversitä?
Civen iv	ame (arm and middle (if anyl)			1	E-th-t-parties	Parnity N		_	
Daneil	P.			M	adig				
Introduction Eligibities	Samuel P	Ma	die	-	3			Data	2/15/0
Residence: Otry	Green Bay	Sign	W	1	Gountry	USA		GRiconship	us
out Office Address	804 S. Madiso	n							
ost Office Address				Laure					
City		State			21P		Сонпиу		
lame of Addition	ral Joint Inventor, If any				A pertitio	n has been like	ed for this	untigned in	yenicr
Given Ne	me (first end midde (8 anyl)					Family No.	me or Su	Kname	
Bryan A.				T	Fish				
gignature overder's	Buson Fre			- c				2/19/00	7
seldence: City	Green Bay	State	WI	C	Ountry	USA		Citizonable	us
ost Office Address	1565 Elm Stree	t						· · · · · · · · · · · · · · · · · · ·	
ost Office Address									
Nty .		Stean			735		Country	,	
ame of Addition	al Joint Inventor, If any:	1	-		pelifor	i hac been filed			ennice
Given Name (first and missiste (if anyl)						Family Nen			

Burden How Statement: This form is estimated to take 0.6 hours to complete. Time will vary depending upon the needs of the Individual case. Any comments on the amount of time, you are faquited to complete this form should be sent to the Chief Information Officer, Pedent and Trademark. Office, Washington, DC 20231. DO NOT SEND FEES ON COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patients, Washington, DC 20231.

Eichhorn

ZJP

USA

Z-/Y-00 US

Citizanahip

Country